




## Cree LED recessed spotlight Sevilla in | warm white | 3 watt | dimmable

### Product Images



## Short Description

---

The Sevilla LED recessed spot shines with a bright warm white colour (2700k) and has an output of 3 watts. Moreover, this recessed spot is dimmable.

## Description

---

The Sevilla recessed spot is a real winner in your home. With a protection rating of 44 (IP-44), the Seville recessed spot is a suitable recessed spot for any room in your home.

The low height (36mm) of the Sevilla recessed spot ensures that you can mount it in almost any suspended ceiling. The stylish design of the Sevilla recessed spot also ensures that it fits into almost any interior.

The LED transformer, supplied as standard, ensures that incoming current is converted to low voltage. You connect the transformer directly to the power cable in the ceiling and, on the other side, simply click it onto the Sevilla downlight.

You can operate the spotlights in various ways. All the options are listed below:

- LED rotary dimmer Atlas
- LED pressure dimmer Novex
- Moon remote control
- App (free access with purchase of wifi LED receiver)

A hole saw (size 35 mm), which allows you to make perfectly sized holes, is also available on our webshop.

Tip: we recommend taking into account 2mm clearance for the Sevilla spotlight and also for the transformer. This allows the heat to dissipate, which benefits its lifespan.

Need more information about this product? Then take a look at the product specifications below or contact us.

## Additional Information

---

Article number	L2448
EAN code	8721122621257
Brand	Hamulight
LED chip	Cree
Spot color	Aluminium
Suitable for	Inside
Suitable i.c.w.	A switch, LED rotary dimmer Atlas, LED push dimmer Novex, remote control Moon, de Hamulight app
Also compatibel with	Google Home, Amazon Alexa and KlikAanKlikUit
Consumption	3 watt
Input voltage	230V AC
Light color	Warm white (2700K)
Lumen per LED (including lens)	155 lm
Color Rendering Index (CRI)	>92
Light angle	45 Degrees
Dimmable	Yes
Tiltable	No
Cabling per LED	10 cm
Transformer required?	Yes (standard included)
Dimensions transformer	38 x 26 x 21 mm
Circuit	Parallel
Diameter	41 mm
Height	36 mm
Hole size	35 mm
Material	Aluminium
IP value	IP44
Quality mark	CE, Rohs
Warranty	Spots: 3 years, Trafo: 2 years

Energy label old

A+

Energy label new

F