



Sanan LED surface-mounted spotlight veranda Tarifa los | warm white | 3 watt | 24 volt

Product Images



Short Description

With this Tarifa surface-mounted spotlight, you light up your veranda in a unique way. The spot has an output of 3 watts and shines (2700k) warm white light. The spot is dimmable and works on our 24-volt veranda system.

Description

The Tarifa surface-mounted spotlight is a real must-have. This dimmable spot features two cables of 20 cm each, allowing you to easily loop the spot to the next one. To power the Tarifa spot(s), you need a 24-volt veranda transformer. With the 24 volt veranda Y-cable connectors you can lead the 24 volt veranda extension cables to the beams of your veranda. Then you just need to connect the Tarifa spotlights to the extension cords and loop them through. The last spotlight in the beam has an extra cable that you can plug with the cap provided.

The Tarifa surface-mounted spotlight has a protection rating of IP-44, so you don't have to worry if it comes into contact with moisture. With a light angle of 120 degrees, the Tarifa illuminates a large area.

Besides its fantastic and unique design, this spotlight is the ideal solution when you don't have enough space in your girders for recessed spotlights. You simply click the Tarifa spotlight onto the supplied mounting plate, which you mount on the beam. Simple mounting!

You can combine the Tarifa surface-mounted spotlight with the wifi LED receiver, which allows you to control the spotlight with:

- The pressure dimmer Novex
- The Moon remote control
- An app (free access with purchase of the wifi LED receiver)

Tip: to mount this spotlight, you will need the transformer, cable connectors and extension cords. You need to order these items separately via our webshop.

More product specifications can be found under the heading specifications. For questions and/or advice, please feel free to contact our LED specialists.

Additional Information

| | |
|--------------------------------|--|
| Article number | L2416 |
| EAN code | 7435833921988 |
| Brand | Hamulight |
| Spot color | Aluminium |
| Suitable for | Inside & outside |
| Suitable i.c.w. | 24-volt veranda transformer & 24-volt veranda Y-cable connectors & 24-volt veranda extension cords |
| Light color | Warm white (2700K) |
| Consumption | 3 watt |
| Input voltage | 24V DC |
| LED chip | Sanan |
| Dimmable | Yes |
| Lumen per LED (including lens) | 245 lm |
| Color Rendering Index (CRI) | >80 |
| Light angle | 120 Degrees |
| Cabling per LED | 2x 20cm |
| Transformer required? | Ja (24 volts veranda transformer) |
| Diameter | 33 mm |
| Length | 80 mm |
| Width | 20 mm |
| Height | 12 mm |
| Material | Aluminium |
| IP value | IP44 |
| Quality mark | CE, Rohs |
| Warranty | 3 years |